IN THE CLAIMS

Please amend the claims as follows:

Claims 1-20 (Cancelled).

21. (currently amended) A stabilizer holder for hand held cameras comprising:

a first elongated frame member having a normally vertical orientation, a distal end and a proximal end, a normally vertical hand grip mounted at said proximal end and a pivot mount having at least a first normally horizontal pivot axis B at said distal end, wherein said first frame has a generally C configuration with an upper arm and a lower arm, and said pivot mount is on an outer end of said upper arm;

a pivoting link pivotally mounted to said pivot mount for freely pivoting about a first normally horizontal pivot axis;

a second frame pivotally mounted to said <u>pivoting link</u> first frame at said pivot mount for freely pivoting about said horizontal axis; and

a camera mount on said second frame disposed below said pivot axis for mounting a camera so that the combined center of gravity of said camera and said second frame are disposed below said horizontal pivot axis.

- 22. (currently amended) A stabilizer holder according to claim [1] 21 wherein said pivot mount pivoting link has a second pivot axis orthogonal to said first axis and said second frame is mounted to said pivoting link at said second pivot axis and pivots about said first and second axes.
- 23. (currently amended) A stabilizer holder according to claim [1] <u>21</u> wherein said pivot mount is normally disposed directly above said hand grip in operation.
- 24. (currently amended) A stabilizer holder according to claim [1] <u>22</u> wherein said second frame is a four bar linkage that maintains a camera in a normally uniform horizontal orientation when pivoting about said first axis.
- 25. (currently amended) A stabilizer holder according to claim 24 22 wherein said pivot mount has a second pivot axis orthogonal is parallel to said first axis and said second frame pivots about said first and second orthogonal parallel axes.

- 26. (currently amended) A stabilizer holder according to claim [1] <u>21</u> wherein said hand grip is mounted on said lower arm in substantial axial alignment with said pivot mount.
- 27. (currently amended) A stabilizer holder according to claim [1] <u>21</u> wherein said second frame is an elongated arm extending at a right angle to said <u>first</u> pivot axis.
- 28. (currently amended) A stabilizer holder according to claim [26] <u>27</u> wherein said second frame normally extends horizontally when a camera is mounted on an outer end thereof.
- 29. (currently amended) A hand held stabilizer holder for hand held cameras comprising:

an elongated first frame having a normally vertical orientation and a generally C configuration with an upper arm and a lower arm normally extending horizontally, a pivot mount having at least a normally horizontal first pivot axis on said at an outer end of said upper arm and a normally vertical hand grip mounted on said lower arm;

a pivoting link having a first end pivotally mounted to said pivot mount for freely pivoting about a first normally horizontal pivot axis;

a second frame pivotally mounted to said first frame at said pivot mount pivoting link to freely pivot about said first a second pivot axis; and

a camera mount on said second frame disposed to position a camera below said pivot mount so that the combined weight of said camera and said second frame is below said first pivot axis.

- 30. (currently amended) A stabilizer holder according to claim 29 wherein said pivot mount includes a second axis is orthogonal to said first axis and said second frame is pivotally mounted to pivot about said first axis and said second axis.
- 31. (Previously presented) A stabilizer holder according to claim 29 wherein said second frame is a four bar linkage that maintains a camera in a normally uniform horizontal orientation when said second frame is pivoting about said first axis.
 - 32. (canceled)

33. (Previously presented) A stabilizer holder according to claim 31 wherein said second frame comprises a pair of generally C shaped linkage members disposed generally vertically and pivotally mounted to an upper bar forming said pivot mount and a lower bar defining a camera mount.

34. (canceled)

- 35. (new) A stabilizer holder according to claim 29 wherein said second axis is parallel to said first axis and said second frame pivots about said parallel axes.
- 36. (new) A stabilizer holder according to claim 22 wherein said second axis is orthogonal to said first axis and said second frame pivots about said first and second orthogonal axes.